

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [21/01/2026]
Crinale Monte Falterona - Monte Falco - Monte Gabrendo (IT5180001 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT5180001

1.3 Site name

Crinale Monte Falterona - Monte Falco -
Monte Gabrendo

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Toscana - Direzione Ambiente ed
Energia - Settore Tutela della Natura e del
Mare

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Via di Novoli, 26 - 50127 Firenze

1.4.4 Functional mailbox email address

parchiareeprotette_biodiversita@regione.tosc
ana.it

1.4.5 Website with contact information

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI)

1.5.2 SPA classification act (free text)

1.5.3 Date site first proposed as SCI

1995-06

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2016-12

1.5.5 SAC designation act (URI)

<https://www.gazzettaufficiale.it/eli/gu/2017/01/24/19/sg/pdf>

1.5.5 SAC designation act (free text)

DM 22/12/2016 - G.U. 19 del 24-01-2017

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

Latitude

2.1.1 Area (ha)

200

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
IT11	TOSCANA

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
4030	European dry heaths	No		3.87		limited	
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No		0.7		limited	
8220	Siliceous rocky slopes with chasmophytic vegetation	No		1.18		limited	
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No		0.13		limited	
9110	Luzulo-Fagetum beech forests	No		151.85		limited	
9220	Apennine beech forests with Abies alba and beech forests with Abies nebrodensis	No		0.22		limited	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
4030	European dry heaths	No	significant	C	C	C					C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17							
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	non-significant									202412
8220	Siliceous rocky slopes with chasmophytic vegetation	No	non-significant									202412
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No	non-significant									202412

9110	Luzulo-Fagetum beech forests	No	significant	C	C	B	C	20241 2
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
9220	Apennine beech forests with Abies alba and beech forests with Abies nebrodensis	No	non-significant					20241 2

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2	3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10	
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Method Population size	Last data collection
I	6199	Euplagia qua dripunctaria			p				P	insufficient	
I	1087	Rosalia alpina			p				P	insufficient	
M	1308	Barbastella barbastellus			p				C	insufficient	
M	1352	Canis lupus			p				R	insufficient	
M	1310	Miniopterus schreibersii			p				C	insufficient	
M	1321	Myotis emarginatus			p				R	insufficient	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
I	6199	Euplagia quadripunctaria	p	significant		C		A					C	C	202412
I	1087	Rosalia alpina	p	significant		C		A					B	B	202412
M	1308	Barbastella barbastellus	p	significant		C		B					C	B	202412
M	1352	Canis lupus	p	significant		C		B					C	B	202412
M	1310	Miniopterus schreibersii	p	significant		C		B					C	B	202412
M	1321	Myotis emarginatus	p	significant		C		B					C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A	1206	Rana italica		no				P
A	1213	Rana temporaria		no				P
A		Speleomantes italicus		no				P
B	A256	Anthus trivialis		no				P
B	A091	Aquila chrysaetos		no				P
B	A103	Falco peregrinus		no				P
B	A246	Lullula arborea		no				P
B	A073	Milvus migrans		no				V
B	A280	Monticola saxatilis		no				V
B	A072	Pernis apivorus		no				R
B	A266	Prunella modularis		no				P

B	A310	<i>Sylvia borin</i>	no	P
B	A282	<i>Turdus torquatus</i>	no	P
I		<i>Hyponephele lupina</i>	no	P
I		<i>Leptusa brucki</i>	no	R
I		<i>Leptusa ceresoleana zangherii</i>	no	R
I		<i>Littorimus hispidulus</i>	no	R
I	1058	<i>Maculinea arion</i>	no	P
I		<i>Otiorhynchus griseopunctatus falteronae</i>	no	R
I	1056	<i>Parnassius mnemosyne</i>	no	P
I		<i>Sinodendron cylindricum</i>	no	R
I		<i>Thecla betulae</i>	no	R
I		<i>Trechus zangherii</i>	no	P
M		<i>Cervus elaphus</i>	no	P
M	1329	<i>Plecotus austriacus</i>	no	P
M		<i>Talpa caeca</i>	no	P
M		<i>Talpa europaea</i>	no	P
P		<i>Alchemilla saxatilis</i>	no	R
P		<i>Allium victorialis</i>	no	V
P		<i>Anemone narcissiflora</i>	no	V
P		<i>Arenaria bertolonii</i>	no	R
P		<i>Bellidiastrum michelii</i>	no	V
P		<i>Botrychium lunaria</i>	no	R

P		<i>Caltha palustris</i>	no	R
P		<i>Campanula latifolia</i>	no	R
P		<i>Doronicum columnae</i>	no	R
P		<i>Festuca violacea</i> subsp. <i>puccinellii</i>	no	V
P	1866	<i>Galanthus nivalis</i>	no	P
P		<i>Gentiana verna</i>	no	R
P		<i>Gentianella campestris</i>	no	R
P		<i>Goodyera repens</i>	no	R
P		<i>Hieracium villosum</i>	no	R
P		<i>Huperzia selago</i>	no	R
P		<i>Isopyrum thalictroides</i>	no	R
P		<i>Lycopodium annotinum</i>	no	R
P		<i>Lycopodium clavatum</i>	no	R
P		<i>Murbeckiella zanonii</i>	no	R
P		<i>Phegopteris connectilis</i>	no	R
P		<i>Rhynchosinapis cheiranthos</i>	no	R
P		<i>Saxifraga oppositifolia</i> var. <i>latina</i>	no	C
P		<i>Senecio doronicum</i>	no	R
P		<i>Streptopus amplexifolius</i>	no	R
P		TOZZIA ALPINA L.	no	V
P		<i>Tephrosieris italica</i>	no	C

P		Vaccinium vitis-idaea	no	R
P		Viola eugeniae ssp. eugeniae	no	R
R	5670	Hierophis viridiflavus	no	C
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	C
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Alchemilla saxatilis															X
	Allium victorialis															X
	Anemone narcissiflora															X
A256	Anthus trivialis					X										
A091	Aquila chrysaetos				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Arenaria bertolonii															X
	Bellidiastrum michelii															X
	Botrychium lunaria															X
	Caltha palustris															X
	Campanula latifolia															X
	Cervus elaphus											X				
	Doronicum columnae															X
A103	Falco peregrinus				X											
	Festuca violacea subsp. puccinellii										X					
1866	Galanthus nivalis			X												
	Gentiana verna															X
	Gentianella campestris															X
	Goodyera repens															X
	Hieracium villosum															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
5670	Hierophis viridiflavus		X													
	Huperzia selago															X
	Hyponephele lupina															X
	Isopyrum thalictroides															X
5179	Lacerta bilineata		X									X				
	Leptusa brucki										X					
	Leptusa ceresoleana zangherii										X					
	Littorimus hispidulus															X
A246	Lullula arborea				X											
	Lycopodium annotinum			X												
	Lycopodium clavatum			X												
1058	Maculinea arion		X													
A073	Milvus migrans				X											
A280	Monticola saxatilis					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Murbeckiella zanonii										X					
	Otiorhynchus griseopunctatus falteronae										X					
1056	Parnassius mnemosyne		X													
A072	Pernis apivorus				X											
	Phegopteris connectilis															X
1329	Plecotus austriacus		X													
1256	Podarcis muralis		X													
A266	Prunella modularis					X										
1206	Rana italica		X													
1213	Rana temporaria			X								X				
	Rhynchosinapis cheiranthos															X
	Saxifraga oppositifolia var. latina															X
	Senecio doricum															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason	
	Sinodendron cylindricum																X
	Speleomantes italicus										X	X					X
	Streptopus amplexifolius																X
A310	Sylvia borin					X											
	TOZZIA ALPINA L.																X
	Talpa caeca																X
	Talpa europaea																X
	Tephroseris italica										X						
	Thecla betulae																X
	Trechus zangherii										X						
A282	Turdus torquatus					X											
	Vaccinium vitis-idaea																X
	Viola eugeniae ssp. eugeniae										X						
6091	Zamenis longissimus		X														

Motivation: The motivation for listing additional species:H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Crinale dell'Alto Appennino Tosco-Romagnolo, comprendente le cime M. Falco, M. Falterona e M. Gabrendo, su cui si sviluppano piccole aree a nardeto.

4.2 Quality and importance of the site

Presenza di specie endemiche, tra cui *Viola eugeniae*, e di specie al loro limite meridionale di distribuzione, fra cui *Tozzia alpina*. Alcune specie ornamentali minacciate legate alle ridotte zone aperte, è inoltre da segnalare la presenza di una coppia di *Aquila chrysaetos* nidificante in prossimità del sito. Segnalata la presenza di *Canis lupus*. Fra gli invertebrati è presente il Coleottero Cerambicide *Rosalia alpina* oltre ad alcune specie endemiche della Toscana e dell'Appennino.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202412

4.4 Documentation

Zangheri P. - Praterie di vetta della Burraia di Campigna e M. Falco., 1979, Censimento biotopi S.B.I. Vol. II, scheda 8-29.
D.R.E.A.M. Italia s.c.r.l., 1994, Repertorio delle aree individuate dalla carta del rispetto della natura della Provincia di Arezzo., Provincia di Arezzo. Collezione Museo "La Specola" (Firenze). Tellini G., Arcamone E., Baccetti N., Meschini E., Sposimo P., 1997 - Atlante degli uccelli nidificanti e svernanti in Toscana (1982-92). Quad. Mus. Stor. Nat. Livorno, Monografia n.1: 414 pp.
Comunicazione Paolo Sposimo. Comunicazione Stefano Vanni. Lanza B. - Il *Triturus alpestris* (Laurenti) e la *Rana temporaria* L. sull'Appennino., 1966, Arch. bot. biogeogr. ital., (4) 10[1965] (3-4): 261-272. Bartolozzi L. - Note corologiche e morfologiche sui *Lucanidae* in Toscana (Coleoptera), 1986, Atti Mus. civ. Stor. nat. Grosseto, 7/8: 11-26. Pace R. - Monografia del genere *Leptusa Kraatr* (col. *Staphylinidae*), 1989, Mem. Mus. Civ. St. Nat. Verona, 8; 1-307. Comunicazione Filippo Fabiano. Comunicazione Paolo Maria Casini. Insetti: Magistretti M., 1965, Coleoptera Cicindelidae, Carabidae. Catalogo topografico. Fauna d'Italia. VIII., Calderini Ed., Bologna. Mascagni A. - Eteroceridi del bacino del fiume Arno (pars II): note faunistiche ed ecologiche (III contributo alla conoscenza degli eteroceridi della Toscana) (Coleoptera Heteroceridae), 1987, Atti Mus. civ. St. nat. Grosseto, 11/12: 101-117. Collezione Piero Abbazzi. Pace R. - Monografia del genere *Leptusa Kraatr* (col. *Staphylinidae*), 1989, Mem. Mus. Civ. St. Nat. Verona, 8; 1-307. Collezione Insetti Gianfranco Fiorini, Pratovecchio (Ar) Collezione Museo "La Specola" (Firenze). Comunicazione Bruno Foggi. Comunicazione Duccio Berzi. Comunicazione Stefano Vanni. Mammiferi: Mammiferi: Museo di Storia Naturale dell'Università di Firenze, sezione Zoologia "La Specola".

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Parco Nazionale Foreste Casentinesi

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

No information provided

5.1.4 Functional mailbox email address

info@parcoforestecasentinesi.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Nomp

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

non è necessario pdg, in quanto il territorio del Sito è vincolato da altri rigorosi istituti di tutela (Riserve Statali e Parco Nazionale)

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
---------------	---------------------------------

DGR 1009 del 21/07/2025

<https://www.regione.toscana.it/ricerca-atti#/searchAttiGiunta/detailsAttoG>

Further explanations on detailed conservation measures

Piano di Assestamento Forestale.

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)