

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [19/12/2025]
Camaldoli, Scodella, Campigna, Badia Prataglia (IT5180004 - SPA)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

A

1.2 Site code

IT5180004

1.3 Site name

Camaldoli, Scodella, Campigna, Badia
Prataglia

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Toscana - Direzione Ambiente ed
Energia - Settore Tutela della Natura e del
Mare

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Via di Novoli, 26 - 50127 Firenze

1.4.4 Functional mailbox email address

parchiareeprotette_biodiversita@regione.tosc
ana.it

1.4.5 Website with contact information

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1998-12

1.5.2 SPA classification act (URI or free text)

Del.C.R. n.342 del 10/11/ 1998

1.5.3 Date site first proposed as SCI

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

1.5.5 SAC designation act (URI or free text)

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

2155

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
IT11	TOSCANA

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1	3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16	
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2	3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10	
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
B	A085	Accipiter gentilis			p				P	insufficient	
B	A256	Anthus trivialis			p				P	insufficient	
B	A091	Aquila chrysaetos			p				P	insufficient	

B	A224	Caprimulgus europaeus	p	R	insufficient
B	A334	Certhia familiaris	p	P	insufficient
B	A080	Circaetus gallicus	r	P	insufficient
B	A081	Circus aeruginosus	c	P	insufficient
B	A082	Circus cyaneus	w	R	insufficient
B	A869	Dryobates minor	p	P	insufficient
B	A236	Dryocopus martius	p	P	insufficient
B	A103	Falco peregrinus	p	P	insufficient
B	A321	Ficedula albicollis	r	V	insufficient
B	A092	Hieraaetus pennatus	c	P	insufficient
B	A338	Lanius collurio	p	P	insufficient
B	A246	Lullula arborea	p	P	insufficient
B	A073	Milvus migrans	c	P	insufficient
B	A072	Pernis apivorus	p	R	insufficient
B	A274	Phoenicurus phoenicurus	c	P	insufficient
B	A314	Phylloscopus sibilatrix	p	P	insufficient
B	A266	Prunella modularis	p	P	insufficient
B	A310	Sylvia borin	p	P	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
B	A085	Accipiter gentilis	p	significant		C		B					B	A	202312
B	A256	Anthus trivialis	p	significant		C		C					C	C	202312
B	A091	Aquila chrysaetos	p	significant		C		B					C	B	202312
B	A224	Caprimulgus europaeus	p	non-significant											202312
B	A334	Certhia familiaris	p	significant		C		B					B	B	202312
B	A080	Circaetus gallicus	r	non-significant											202312
B	A081	Circus aeruginosus	c	non-significant											202312
B	A082	Circus cyaneus	w	non-significant											202312
B	A869	Dryobates minor	p	significant		C		B					C	A	202312
B	A236	Dryocopus martius	p	significant		C		B					B	B	202312
B	A103	Falco peregrinus	p	non-significant											202312
B	A321	Ficedula albicollis	r	non-significant											202312
B	A092	Hieraaetus pennatus	c	non-significant											202312

B	A338	Lanius collurio	p	non-significant						202312	
B	A246	Lullula arborea	p	significant	C		B		C	B	202312
B	A073	Milvus migrans	c	non-significant							202312
B	A072	Pernis apivorus	p	significant	C		B		C	B	202312
B	A274	Phoenicurus phoenicurus	c	significant	C		A		C	C	202312
B	A314	Phylloscopus sibilatrix	p	significant	C		A		C	B	202312
B	A266	Prunella modularis	p	non-significant							202312
B	A310	Sylvia borin	p	non-significant							202312

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A	5357	Bombina pachypus		no				P
A	1213	Rana temporaria		no				P
A	1175	Salamandrina terdigitata		no				R
A		Speleomantes italicus		no				P
A		Triturus alpestris apuanus		no				P
A	1167	Triturus carnifex		no				R
B	A334	Certhia familiaris		no				P
B	A647	Sylvia cantillans moltonii		no				R
I		Aglia tau		no				R
I	1092	Austropotamobius pallipes		no				P
I	6199	Euplagia quadripunctaria		no				R
I	1083	Lucanus cervus		no				P
I	1056	Parnassius mnemosyne		no				P
I	1087	Rosalia alpina		no				P
I	1014	Vertigo angustior		no				P
I	1053	Zerynthia polyxena		no				R
M	1352	Canis lupus		no				R
M		Crocidura leucodon		no				P
M	1327	Eptesicus serotinus		no				P
M	1310	Miniopterus schreibersii		no				P

M	1307	<i>Myotis blythii</i>	no	P
M	1314	<i>Myotis daubentonii</i>	no	P
M	1321	<i>Myotis emarginatus</i>	no	P
M	1324	<i>Myotis myotis</i>	no	P
M		<i>Neomys anomalus</i>	no	P
M		<i>Neomys fodiens</i>	no	P
M	1331	<i>Nyctalus leisleri</i>	no	P
M	1312	<i>Nyctalus noctula</i>	no	P
M	1326	<i>Plecotus auritus</i>	no	P
M	1329	<i>Plecotus austriacus</i>	no	P
M	1304	<i>Rhinolophus ferrumequinum</i>	no	P
M	1303	<i>Rhinolophus hipposideros</i>	no	P
P		<i>Aquilegia vulgaris</i>	no	R
P		<i>Atropa belladonna</i>	no	R
P		<i>Campanula latifolia</i>	no	P
P		<i>Centaurea arrigonii</i>	no	C
P	1866	<i>Galanthus nivalis</i>	no	P
P		<i>Phegopteris connectilis</i>	no	R
P		<i>Sesleria pichiana</i>	no	C
P		<i>Staphylea pinnata</i>	no	R
P		<i>Tephrosieris italica</i>	no	C

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Aglia tau															X
	Aquilegia vulgaris															X
	Atropa belladonna															X
1092	Austropotamoebius pallipes	X		X												
5357	Bombina pachypus	X	X													
	Campanula latifolia															X
1352	Canis lupus	X	X	X												
	Centaurea arrigonii										X					
A334	Certhia familiaris					X										
	Crocidura leucodon											X				X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1327	Eptesicus serotinus		X									X				
6199	Euplagia quadripunctaria	X														
1866	Galanthus nivalis			X												
1083	Lucanus cervus	X														
1310	Miniopterus schreibersii	X	X													
1307	Myotis blythii	X	X													
1314	Myotis daubentonii		X									X				
1321	Myotis emarginatus	X	X													
1324	Myotis myotis	X	X													
	Neomys anomalus											X				X
	Neomys fodiens											X				X
1331	Nyctalus leisleri		X									X				
1312	Nyctalus noctula		X									X				
1056	Parnassius mnemosyne		X									X				
	Phegopteris connectilis															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1326	<i>Plecotus auritus</i>		X									X				
1329	<i>Plecotus austriacus</i>		X									X				
1213	<i>Rana temporaria</i>			X												
1304	<i>Rhinolophus ferrumequinum</i>	X	X													
1303	<i>Rhinolophus hipposideros</i>	X	X													
1087	<i>Rosalia alpina</i>	X	X													
1175	<i>Salamandrina terdigitata</i>	X	X													
	<i>Sesleria pichiana</i>										X					
	<i>Speleomantes italicus</i>										X	X				X
	<i>Staphylea pinnata</i>															X
A647	<i>Sylvia cantillans moltonii</i>					X		X				X				
	<i>Tephroseris italica</i>										X					
	<i>Triturus alpestris apuanus</i>															X
1167	<i>Triturus carnifex</i>	X	X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason	
1014	Vertigo angustior	X															
1053	Zerynthia polyxena		X									X					

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Area quasi interamente coperta da boschi naturali ed artificiali.

4.2 Quality and importance of the site

Presenza di specie ornitiche minacciate, a livello regionale, legate alle formazioni forestali, anche artificiali, più mature: Rampichino alpestre, nelle abetine, e Picchio rosso minore nei castagneti da frutto. L'area è anche frequentata dall'Aquila reale, vi sono inoltre alcune segnalazioni della presenza dell'Astore anche se mancano prove di nidificazione.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202312

4.4 Documentation

D.R.E.A.M. Italia srl. NEMO sas 1998. Carta del rispetto della natura della Provincia di Arezzo. - Tellini Florenzano G. 1996.

Monitoraggio ornitologico delle Foreste Casentinesi Comunità Montana del Casentino Ponte a Poppi (AR). - Tellini G., Arcamone E., Baccetti N., Meschini E., Sposimo P. (eds), 1997. Atlante degli uccelli nidificanti e svernanti in Toscana (1982-92). Quad. Mus. Stor. Nat. Livorno, Monografia n.1:414 pp.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202312

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Regione Toscana

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

No information provided

5.1.4 Functional mailbox email address

No information provided

5.1.5 Website with contact information

No information provided

5.1 Body responsible for the site management

5.1.1 Name of the organization

Parco Nazionale Foreste Casentinesi

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

No information provided

5.1.4 Functional mailbox email address

No information provided

5.1.5 Website with contact information

No information provided

5.1 Body responsible for the site management**5.1.1 Name of the organization**

Comando Carabinieri Forestale (UTCB di Pratovecchio)

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

No information provided

5.1.4 Functional mailbox email address

No information provided

5.1.5 Website with contact information

No information provided

5.2 Management plans**5.2.1 Existence of management plan(s)**

Nomp

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

non è necessario pdg, in quanto il territorio del Sito è vincolato da altri rigorosi istituti di tutela (Riserve Statali e Parco Nazionale) e tutto il Sito è ubicato in area acclive

5.3 Conservation measures**5.3.1 Detailed information on measures****Necessary conservation measures are included in the management plan(s)**

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
---------------	---------------------------------

Further explanations on detailed conservation measures

Piano di assestamento forestale.

5.3.2 Status of conservation measures**Are the necessary measures established?****Are the established measures implemented?****5.4 Management effectiveness**

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site**6.1 INSPIRE identifier****6.1.1 Namespace****6.1.2 Local identifier**

6.1.3 Version identifier (optional)