

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [21/01/2026]
Alta Vallesanta (IT5180005 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT5180005

1.3 Site name

Alta Vallesanta

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Toscana - Direzione Ambiente ed
Energia - Settore Tutela della Natura e del
Mare

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Via di Novoli, 26 - 50127 Firenze

1.4.4 Functional mailbox email address

parchiareeprotette_biodiversita@regione.tosc
ana.it

1.4.5 Website with contact information

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI)

1.5.2 SPA classification act (free text)

1.5.3 Date site first proposed as SCI

1995-06

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2016-12

1.5.5 SAC designation act (URI)

<https://www.gazzettaufficiale.it/eli/gu/2017/01/24/19/sg/pdf>

1.5.5 SAC designation act (free text)

DM 22/12/2016 - G.U. 19 del 24-01-2017

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)
5037

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
IT11	TOSCANA

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		0.02		limited	
4030	European dry heaths	No		6.9		limited	
5130	Juniperus communis formations on heaths or calcareous grasslands	No		73.66		limited	
6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No		0.31		limited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes		44.85		limited	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		0.24		limited	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		64.62		limited	
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No		0.07		limited	

9130	Asperulo-Fagetum beech forests	No	715.88	limited
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, Alnion incanae, Salicion albae)	No	22.34	limited
91L0	Illyrian oak-hornbeam forests (Erythronio-Carpinion)	No	91.58	limited
91M0	Pannonian-Balkan turkey oak - sessile oak forests	No	1526.63	limited
9260	<i>Castanea sativa</i> woods	No	18.12	limited
92A0	<i>Salix alba</i> and <i>Populus alba</i> galleries	No	3.41	limited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1 Code	Name	3.1.2 Priority form	3.1.8 Significance	3.1.9 Representativity	3.1.10 Relative surface	3.1.12.1 Conservation	3.1.12.2 Conservation area	3.1.12.3 Conservation method	3.1.13 Conservation objectives	3.1.14 Objectives further explanation	3.1.15 Global	3.1.16 Update date
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					C	202312
4030	European dry heaths	No	non-significant									202312
5130	Juniperus communis formations on heaths or calcareous grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A					B	202312

6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No	non-significant						202312
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes	significant	C	C	B		C	202312
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17				
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	C	C	B		C	202312
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17				

6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	C	C	B	B	202312
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No	non-significant					202312
9130	Asperulo-Fagetum beech forests	No	significant	B	C	B	C	202312
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	C	C	B	C	202312
91L0	Illyrian oak-hornbeam forests (<i>Erythronio-Carpinion</i>)	No	non-significant					202312
91M0	Pannonian-Balkan turkey oak - sessile oak forests	No	significant	B	C	B	C	202312
9260	<i>Castanea sativa</i> woods	No	non-significant					202312
92A0	<i>Salix alba</i> and <i>Populus alba</i> galleries	No	non-significant					202312

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2	3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10	
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Method Population size	Last data collection
A	5357	Bombina pachypus			p				P	insufficient	
A	1175	Salamandrina terdigitata			p				P	insufficient	
A	1167	Triturus carnifex			p				P	insufficient	
F	1136	Rutilus rubilio			p				P	insufficient	
F	5331	Telestes muticellus			p				P	insufficient	
I	1092	Austropotamobius pallipes			p				P	insufficient	

I	1065	Euphydryas aurinia	p	P	insufficient
I	6199	Euplagia qua dripunctaria	p	P	insufficient
I	1083	Lucanus cervus	p	P	insufficient
I	1087	Rosalia alpina	p	P	insufficient
M	1308	Barbastella barbastellus	p	C	insufficient
M	1352	Canis lupus	p	P	insufficient
M	1310	Miniopterus schreibersii	p	C	insufficient
M	1321	Myotis emarginatus	p	R	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
A	5357	Bombina pachypus	p	significant		C		C					A	C	202312
A	1175	Salamandra terdigitata	p	non-significant											202312
A	1167	Triturus carnifex	p	non-significant											202312
F	1136	Rutilus rubilio	p	non-significant											202312
F	5331	Telestes muticellus	p	non-significant											202312
I	1092	Austropotamobius pallipes	p	significant		C		B					C	B	202312
I	1065	Euphydryas aurinia	p	non-significant											202312
I	6199	Euplagia quadripunctaria	p	non-significant											202312
I	1083	Lucanus cervus	p	non-significant											202312
I	1087	Rosalia alpina	p	non-significant											202312
M	1308	Barbastella barbastellus	p	significant		C		B					C	B	202312
M	1352	Canis lupus	p	significant		C		A					C	A	202312

M	1310	Miniopterus schreibersii	p	significant	C	B	C	B	202312
M	1321	Myotis marginatus	p	significant	C	B	C	B	202312

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A	1206	Rana italica		no				P
B	A229	Alcedo atthis		no				P
B	A224	Caprimulgus europaeus		no				R
B	A334	Certhia familiaris		no				R
B	A080	Circaetus gallicus		no				R
B	A084	Circus pygargus		no				P

B	A113	Coturnix coturnix	no	V
B	A026	Egretta garzetta	no	V
B	A103	Falco peregrinus	no	P
B	A096	Falco tinnunculus	no	R
B	A338	Lanius collurio	no	R
B	A246	Lullula arborea	no	C
B	A277	Oenanthe oenanthe	no	V
B	A072	Pernis apivorus	no	R
B	A274	Phoenicurus phoenicurus	no	C
I	1056	Parnassius mnemosyne	no	P
I		Potamon fluviatile	no	P
I	1053	Zerynthia polyxena	no	R
M	1344	Hystrix cristata	no	C
M	1358	Mustela putorius	no	R
M	1314	Myotis daubentonii	no	P
M	2016	Pipistrellus kuhlii	no	P
R	5179	Lacerta bilineata	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A229	Alcedo atthis				X											
A224	Caprimulgus europaeus				X											
A334	Certhia familiaris					X						X				
A080	Circaetus gallicus				X											
A084	Circus pygargus				X											
A113	Coturnix coturnix					X										
A026	Egretta garzetta				X											
A103	Falco peregrinus				X											
A096	Falco tinnunculus					X										
1344	Hystrix cristata		X													
5179	Lacerta bilineata		X									X				
A338	Lanius collurio				X											
A246	Lullula arborea				X											
1358	Mustela putorius			X												
1314	Myotis daubentonii		X									X				
A277	Oenanthe oenanthe					X										
1056	Parnassius mnemosyne		X									X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A072	Pernis apivorus				X											
A274	Phoenicurus phoenicurus					X										
2016	Pipistrellus kuhlii		X													
	Potamon fluviatile															X
1206	Rana italica		X								X	X				
1053	Zerynthia polyxena		X									X				

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Vasta area montana con alternanza di coltivi, pascoli e boschi.

4.2 Quality and importance of the site

Presenza di specie ornitiche rare e minacciate legate ai pascoli (Calanco, Culbianco, Codirossone) oppure al mosaico di boschi ed aree aperte (Pecchiaiolo, Succiacapre). da segnalare, tra i Mammiferi predatori, la presenza della specie *Canis lupus*.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202312

4.4 Documentation

Comunicazione Bruno Foggi; AA.VV. Inedito, 1995. Carta del rispetto della natura della provincia di Arezzo. Stato delle conoscenze. Provincia di Arezzo Assessorato all'ambiente; Auteri R., Bairo R., Mannini P., Piras A., Reale B., Righini P., Serena F., Voliani A., Volpi C., 1988, Gestione della fauna ittica. Presupposti ecologici e popolazionistici., Regione Toscana, Giunta Regionale, Firenze. Comunicazione Marco Apollonio. D.R.E.A.M. Italia s.c.r.l., 1994, Repertorio delle aree individuate dalla carta del rispetto della natura della Provincia di Arezzo., Provincia di Arezzo. Comunicazione Stefano Vanni. Università di Firenze- Dip. Di Biologia Vegetale; DREAM s.c.a.r.l. Analisi e monitoraggi della componente naturale nei SIC e/o ZPS Alta Valle Santa, Monte Calvano, Brughiere dell'Alpe di Poti, Monte Dogana e Monte Ginezzo - Arezzo 2009 Mammiferi: Comunicazione Paolo Agnelli. Il Lupo in Provincia di Arezzo , a cura di Marco Apollonio e Luca Mattioli – Arsia, Regione Toscana, Centro Studi Casa Stabbi Alpe di Catenaia, Provincia di Arezzo, 2007 Capitani C, Mattioli L, Avanzinelli E et al (2006) Selection of rendezvous sites and reuse of pup raising areas among wolves *Canis lupus* of north-eastern Apennines, Italy. *Acta Theriol* 51:395–404 Massimo Scandura & Laura Iacolina & Claudia Capitani & Andrea Gazzola & Luca Mattioli & Marco Apollonio - Fine-scale genetic structure suggests low levels of short-range gene flow in a wolf population of the Italian Apennines - Received: 11 August 2010 / Revised: 26 January 2011 / Accepted: 28 January 2011 # Springer-Verlag 2011 Eur J Wildl Res DOI 10.1007/s10344-011-0509-y Uccelli: D.R.E.A.M. Italia srl. NEMO sas 1998 Carta del rispetto della natura della Provincia di Arezzo. Tellini Florenzano G. 1996. Monitoraggio ornitologico delle Foreste Casentinesi Comunita' Montana del Casentino Ponte a Poppi (AR). G.Tellini Florenzano, T.Campedelli, S.Cutini, G.Londi - Indagini conoscitive e studi tecnici coordinati e condotti nel settore ornitologico dalla DREAM Italia Soc.Coop. a r.l. nel territorio della Provincia di Arezzo nel periodo 2000-2011. I dati sono anche integrati dal contributo di volontari (C. Donati, L. Lapini, G. Grazzini), raccolti e validati sempre dal suddetto gruppo di lavoro. Anfibi: Museo di Storia Naturale dell'Università di Firenze, Sezione di Zoologia "La Specola". Pesci: Nocita A., 2012 - Indagine relativa ad alcune specie appartenenti alla fauna ittica d'acqua dolce: analisi della presenza e consistenza di *Lampetra fluviatilis*, *Alosa fallax*, *Leuciscus lucumonis*, *Barbus plebejus*, *Barbus tyberinus*, con particolare riferimento al Bacino dell'Arno. Museo di Storia Naturale dell'Università di Firenze. Inedito

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202312

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Parco Nazionale Foreste Casentinesi

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

No information provided

5.1.4 Functional mailbox email address

No information provided

5.1.5 Website with contact information

No information provided

5.1 Body responsible for the site management

5.1.1 Name of the organization

Regione Toscana

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

No information provided

5.1.4 Functional mailbox email address

No information provided

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
DGR 1009 del 21/07/2025	https://www.regione.toscana.it/ricerca-atti#/searchAttiGiunta/detailsAttoG

Further explanations on detailed conservation measures

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)