



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT4080003
SITENAME Monte Gemelli, Monte Guffone

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code IT4080003	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monte Gemelli, Monte Guffone

1.4 First Compilation date 1995-06	1.5 Update date 2021-12
--	-----------------------------------

1.6 Respondent:

Name	Regione Emilia-Romagna - Direzione Generale Cura del territorio e dell'ambiente - Servizio Aree protette, foreste e sviluppo della montagna
/Organisation:	
Address:	Viale Aldo Moro, 30 - 40127 Bologna
Email:	segrprn@regione.emilia-romagna.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2004-02
National legal reference of SPA designation	Deliberazione della Giunta Regionale dell'Emilia-Romagna n. 1816 del 22 settembre 2003
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2020-05
National legal reference of SAC designation:	DM 20/05/2020 - G.U. 151 del 16-06-2020

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Longitude 11.738611 Latitude 43.948889

[Back to top](#)

2.2 Area [ha]:

13350.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD5	Emilia-Romagna
------	----------------

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3140B			1.9		G	A	C	A	A
3240B			53.15		G	A	C	B	B
4030B			2.35		G	B	C	A	A
5130B			274.51		G	A	C	A	A
6210B	X		1320.06		G	A	C	A	A
6220B			20.47		G	B	C	B	B
6430B			6.15		G	C	C	A	B
6510B			61.44		G	B	C	A	B
7220B			9.34		G	C	C	A	B
8210B			1.07		G	B	C	B	B
8230B			22.76		G	B	C	B	B
8310B			0.25		G	B	C	B	B
9130B			1192.92		G	B	C	B	A
9180B			582.38		G	B	C	A	A
91E0B			23.26		G	B	C	B	B
9210B			69.0		G	A	C	B	B
9220B			371.44		G	B	C	A	A
9260B			204.69		G	A	C	A	A
92A0B			11.45		G	B	C	B	B
9340B			4.03		G	D			

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

B	A103	Falco peregrinus			c				P	DD	C	B	C	B
P	4104	Himantoglossum adriaticum			p				P	DD	C	B	C	B
B	A300	Hippolais polyglotta			c				P	DD	C	A	C	C
B	A300	Hippolais polyglotta			r				P	DD	C	A	C	C
B	A251	Hirundo rustica			c				P	DD	C	A	C	C
B	A251	Hirundo rustica			r				P	DD	C	A	C	C
B	A233	Jynx torquilla			r				P	DD	C	A	C	C
B	A233	Jynx torquilla			c				P	DD	C	A	C	C
B	A338	Lanius collurio			r				R	DD	C	B	C	C
B	A338	Lanius collurio			c				P	DD	C	B	C	C
I	1083	Lucanus cervus			p				P	DD	C	A	C	C
B	A246	Lullula arborea			r				P	DD	C	B	C	B
B	A246	Lullula arborea			c				P	DD	C	B	C	B
B	A271	Luscinia megarhynchos			r				P	DD	C	A	C	C
B	A271	Luscinia megarhynchos			c				P	DD	C	A	C	C
B	A280	Monticola saxatilis			r				P	DD	C	A	C	A
B	A280	Monticola saxatilis			c				P	DD	C	A	C	A
B	A319	Muscicapa striata			c				P	DD	C	A	C	C
B	A319	Muscicapa striata			r				P	DD	C	A	C	C
M	1321	Myotis emarginatus			p				P	DD	B	A	C	A
M	1324	Myotis myotis			p				P	DD	C	B	C	B
B	A337	Oriolus oriolus			c				P	DD	C	A	C	C
B	A337	Oriolus oriolus			r				P	DD	C	A	C	C
I	1084	Osmoderma eremita			p				P	DD	C	B	C	B
B	A072	Pernis apivorus			r				R	DD	C	B	C	C
B	A072	Pernis apivorus			c				P	DD	C	B	C	C
B	A274	Phoenicurus phoenicurus			c				P	DD	C	A	C	B
B	A274	Phoenicurus phoenicurus			r				P	DD	C	A	C	B
B	A313	Phylloscopus bonelli			r				P	DD	C	A	C	B
B	A313	Phylloscopus bonelli			c				P	DD	C	A	C	B
B	A250	Ptyonoprogne rupestris			r				P	DD	C	A	C	C
B	A250	Ptyonoprogne rupestris			c				P	DD	C	A	C	C
M	1304	Rhinolophus ferrumequinum			p				P	DD	C	A	C	B
M	1303	Rhinolophus hipposideros			p				P	DD	C	A	C	B
I	4026	Rhyodes sulcatus			p				P	DD	A	A	A	A
I	1087	Rosalia alpina			p				P	DD	C	B	A	B
F	1136	Rutilus rubilio			p				P	DD	C	B	C	C
A	5367	Salamandrina perspicillata			p				P	DD	C	A	B	A
F	6135	Salmo trutta macrostigma			p				P	DD	D			
B	A210	Streptopelia turtur			r				P	DD	C	A	C	B
B	A210	Streptopelia turtur			c				P	DD	C	A	C	B
B	A304	Sylvia cantillans			r				P	DD	C	A	C	C

P		vulgatum						P							X
I		Percus passerinii						P				X			
M	2016	Pipistrellus kuhlii						P	X						
M	1309	Pipistrellus pipistrellus						P	X						
M	1329	Plecotus austriacus						P	X						
R	1256	Podarcis muralis						P	X						
P		Quercus crenata						P							X
A	1209	Rana dalmatina						P	X						
A	1206	Rana italica						P	X						
A	2351	Salamandra salamandra						P				X			
P		Saxifraga granulata						P							X
A	1185	Speleomantes italicus						P				X			
A	2353	Triturus alpestris						P				X			

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N19	4.0
N14	5.0
N17	5.0
N06	1.0
N22	3.0
N12	1.0
N16	74.0
N08	7.0
Total Habitat Cover	100

Other Site Characteristics

Area dell'Appennino romagnolo su substrato marnoso arenaceo caratterizzata da faggete, quercete, boschi misti mesofili, pascoli, zone rupestri e praterie arbustate.

4.2 Quality and importance

Specie animali: Coronella girondica, specie presente con distribuzione altamente frammentata lungo la fascia medio-montana e collinare. Specializzata ad habitat xerici. Scarse conoscenze sulla distribuzione ed ecologia di popolazione. Catocala fraxini, sebbene diffusa su un ampio areale la specie non è frequente anche perchè molto ricercata dai collezionisti. Si sviluppa su Pioppi, oltre che su Frassino e altre latifoglie, ma in Italia sembra mal tollerare le estese e profonde trasformazioni agricoli della pianura ed ha pertanto popolazioni molto localizzate, generalmente nell'orizzonte sub-montano. Aglia tau, le popolazioni dell'Appennino Romagnolo rappresentano un isolato relitto, essendo la specie limitata, in Italia, all'arco alpino e alle Prealpi Venete. E' associata prevalentemente al Faggio, pur potendosi sviluppare anche su altre latifoglie. Sito frequentato regolarmente come territorio di caccia da Canis lupus. Importante per Salamandrina terdigitata e Bombina variegata, data la buona qualità dell'habitat. Sito di Vertigo angustior.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	G08		i
M	D06		i
M	G11		i
M	A21		i
M	B29		i
M	K05		i
L	F02		i
H	B07		i
M	E01		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT01	99.7	IT00	0.3		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	Parco Nazionale Foreste Casentinesi	*	99.7

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	ENTI GESTORI: Parco nazionale Foreste Casentinesi, Monte Falterona e Campigna - Reparto Carabinieri per la Biodiversità di Pratovecchio
Address:	recapiti ed email consultabili sul web: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/consultazione/enti-di-gestione/enti-gestione-parchi
Email:	-

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

6.3 Conservation measures (optional)

Le Misure Specifiche di Conservazione sono consultabili alla pagina web del sito: <http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/siti/it4080003>

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

254SO 264NE 265NE 265NO 265SE 265SO 1:25.000 UTM